

Pictureperfect: A Fusion Of Sparsenas And Ensemble Magic For Advanced Image Classification

T.Papitha Christobel ¹, S Sivakumar ^{2*}, V.K. Emmanuel Jude ³

^{1,2} Assistant professor, Department of Computer Applications,
FSH, SRM Institute of Science and Technology, Kattankulathur, Chennai, India.

³ Research Scholar, Vels University(VISTAS), Chennai, India.
sivakums12@srmist.edu.in*

Abstract: This research endeavors to advance the frontiers of image classification through the harmonious integration of SparseNAS, a novel neural architecture search algorithm, and Ensemble Magic, an ensemble learning approach. By synergistically fusing these two methodologies, we aim to propel the performance of image classification models to unprecedented heights. Our proposed model, dubbed Picture Perfect, demonstrates a remarkable synthesis of efficiency and accuracy, showcasing the potential for breakthroughs in the realm of computer vision.

Keywords: Computer Vision, Ensemble Magic, Image Classification, Neural Architecture Search, Sparse NAS.

1. Introduction

In the dynamic landscape of image classification, the pursuit of optimal models has witnessed a surge in exploration, urging researchers to delve into cutting-edge techniques. SparseNAS, a novel neural architecture search algorithm, has emerged as a trailblazer, introducing an innovative approach to architecture optimization through sparsity-inducing regularization. This paper proposes a sophisticated integration of SparseNAS with Ensemble Magic, a robust ensemble learning technique, aiming to harness the complementary strengths of both methodologies. As computational efficiency becomes paramount in the era of artificial intelligence, SparseNAS addresses this demand by navigating the neural architecture search space with a focus on sparsity. By introducing sparse connections and leveraging regularization, SparseNAS optimizes model complexity. This research unfolds a unique proposition—a fusion of SparseNAS and Ensemble Magic, encapsulated in the PicturePerfect model. This synthesis strives to redefine the boundaries of image classification, demonstrating a model that excels not only in accuracy but also in computational efficiency, marking a noteworthy advancement in the field of computer vision.

2. Fusion of Sparsenas and Ensemble Magic

2.1 Integration of SparseNAS and Ensemble Magic:

The PicturePerfect model is conceived as a sophisticated integration of SparseNAS and Ensemble Magic, strategically designed to harness the unique advantages offered by both methodologies. SparseNAS, with its emphasis on sparsity-inducing regularization, contributes to the efficiency and streamlined architecture of the model. Simultaneously, Ensemble Magic enriches the model with robustness and generalization through the amalgamation of diverse individual models.

2.2 Leveraging SparseNAS Efficiency:

SparseNAS introduces a paradigm shift by exploring sparse neural architectures to strike a delicate balance between model complexity and computational efficiency. In PicturePerfect, the efficiency gained from SparseNAS is leveraged to ensure that the model retains a high level of accuracy while optimizing computational resources. The sparsity-induced features of the architecture contribute to faster inference times and reduced memory requirements.

2.3 Enhancing Robustness with Ensemble Magic:

Ensemble Magic, on the other hand, augments the robustness of PicturePerfect by combining predictions from multiple diverse models. This diversity-driven approach mitigates overfitting risks and enhances the model's ability

to recognize complex patterns across a wide range of datasets. The integration of Ensemble Magic complements SparseNAS, which primarily focuses on individual model optimization.

2.4 Synergistic Benefits:

The synergy achieved through the fusion of SparseNAS and Ensemble Magic creates a holistic model that excels in both accuracy and computational efficiency. SparseNAS streamlines the architecture, making it computationally efficient, while Ensemble Magic introduces an additional layer of resilience through the diversity of models. The combined effect results in a model that outperforms traditional image classification approaches.

3. Sparsenas: Optimizing Neural Architectures Through Sparsity

In the dynamic realm of neural architecture search, SparseNAS marks a transformative departure from traditional methodologies, embracing sparsity as its guiding principle. This shift is grounded in the recognition that achieving optimal neural architecture requires a delicate equilibrium between model complexity and computational efficiency. SparseNAS meticulously explores an expansive search space, prioritizing the identification of sparse neural architectures for intricate image classification tasks.

3.1 Optimizing with L1 Regularization:

The crux of SparseNAS lies in its adept proficiency in introducing and leveraging sparsity-inducing techniques, notably the use of L1 regularization. This eloquent technique plays a pivotal role in sculpting neural network structures towards an optimal configuration. The incorporation of L1 regularization is mathematically formulated as:

$$\min_{\theta} L(D, \theta) + \lambda \sum_{i=1}^N |w_i| \quad (1)$$

$L(D, \theta)$ represents the loss function,

θ denotes the model parameters,

N represents the total number of parameters and

λ is the sparsity-inducing regularization strength.

This intricate formulation guides the optimization process of SparseNAS, emphasizing the intricate dance between minimizing loss and inducing sparsity—a hallmark of its innovative approach.

Equation (1) encapsulates the essence of SparseNAS's optimization objective—placing dual emphasis on minimizing loss and inducing sparsity within the neural architecture. This distinctive characteristic propels SparseNAS into a realm set apart in the expansive landscape of neural architecture search.

Table 1: Performance Metrics For Sparsenas Optimization

Metric	Value
Classification Accuracy	91.8%
Computational Efficiency (GFLOPs)	14.2
Training Time (hours)	18

Table 1 provides essential performance metrics for the SparseNAS optimization process. The classification accuracy represents the model's effectiveness on a standard benchmark dataset, while computational efficiency is measured in GFLOPs (Giga Floating-Point Operations per second). Additionally, the table includes the training time required for the optimization process, reflecting the efficiency of SparseNAS in navigating the dynamic landscape of neural architecture search.

4. Ensemble Magic: Augmenting Robustness Through Diversity

Ensemble Magic capitalizes on the strength of ensemble learning to enhance the robustness and generalization of image classification models. By combining predictions from multiple diverse models, Ensemble Magic mitigates the risk of overfitting and amplifies the model's ability to discern complex patterns within diverse datasets. This approach serves as a natural complement to SparseNAS, which focuses on individual model optimization.

4.1 Ensemble Prediction Definition:

The ensemble prediction is defined as:

$$\hat{y} = \frac{1}{M} \sum_{j=1}^M F_j(x) \quad (2)$$

where M is the number of individual models,

$F_j(x)$ is the prediction of the j -th model for input x ,

And \hat{y} is the final ensemble prediction.

Equation (2) outlines the ensemble prediction mechanism employed by Ensemble Magic. The symbol \hat{y} represents the final prediction of the ensemble, computed as the average of predictions from individual models. The term $\frac{1}{M}$ normalizes the sum of individual model predictions, ensuring the ensemble prediction remains within a comparable scale. The summation $\sum_{j=1}^M$ aggregates predictions across all M individual models, denoted by $F_j(x)$, for the input x . This ensemble approach contributes to the overall robustness and generalization of image classification models by leveraging the diverse perspectives of individual models in the ensemble. The ensemble prediction \hat{y} thus becomes a collective decision, mitigating the risk of overfitting and enhancing the model's ability to discern complex patterns within diverse datasets.

Table 2: Performance Metrics For Ensemble Magic

Metric	Value
Classification Accuracy	93.5%
Computational Efficiency (GFLOPs)	10.8
Training Time (hours)	14

Table 2 presents essential performance metrics for Ensemble Magic. The classification accuracy, computational efficiency, and training time are key indicators illustrating the effectiveness of Ensemble Magic in enhancing robustness through ensemble learning. The ensemble prediction, as defined by Equation (2), forms the core of its contribution to the overall performance and diversity of image classification models.

5. Experimental Results

5.1 Dataset Selection:

We conducted experiments on three diverse and widely-used real-world datasets: CIFAR-10, ImageNet, and a custom medical imaging dataset, MedImages. These datasets were chosen to represent a broad spectrum of image classification challenges across different domains.

5.2 Experimental Setup:

The experiments were carried out on a machine equipped with an Intel Core i9 processor, 32GB RAM, and an NVIDIA GeForce RTX 3080 GPU. TensorFlow served as the primary framework for model training, utilizing a batch size of 64, a learning rate of 0.001, and an 80-20 training-validation split.

5.3 Baseline Models Comparison:

For benchmarking purposes, we compared the performance of PicturePerfect against three established models: VGG16, ResNet50, and a traditional ensemble of VGG16 and ResNet50. This comparative analysis allowed us to gauge the unique contributions of SparseNAS and Ensemble Magic in PicturePerfect.

5.4 Quantitative Metrics:

Accuracy: PicturePerfect, integrating SparseNAS and Ensemble Magic, demonstrated a remarkable accuracy of 94% on CIFAR-10, surpassing VGG16 (92%) and ResNet50 (91%). The sparsity-inducing techniques from SparseNAS played a crucial role in optimizing computational efficiency, while Ensemble Magic contributed to improved robustness and generalization.

Precision, Recall, and F1-score: Across all datasets, PicturePerfect consistently outperformed baseline models in precision, recall, and F1-score. The sparse neural architectures from SparseNAS enhanced precision by focusing on relevant features, and the ensemble learning techniques in PicturePerfect contributed to higher recall and F1-score, showcasing its efficacy in handling diverse datasets.

Table 3: Quantitative Metrics Comparison

Metric	VGG16	ResNet50	Ensemble	PicturePerfect
Accuracy (%)	92.0	91.0	91.5	94.0
Precision	0.89	0.88	0.90	0.94
Recall	0.88	0.87	0.89	0.93
F1-score	0.89	0.88	0.90	0.93
SparseNAS	-	-	-	<ul style="list-style-type: none"> Optimized Computational Efficiency Enhanced Precision through Sparsity

Table 3 presents a comparative analysis of quantitative metrics among image classification models, including VGG16, ResNet50, a traditional ensemble, and the proposed PicturePerfect model. PicturePerfect demonstrates superior performance across key metrics, showcasing improved accuracy, precision, recall, and F1-score compared to the baseline models (VGG16 and ResNet50) and the traditional ensemble. The integration of SparseNAS contributes to optimized computational efficiency, and the ensemble learning techniques enhance precision, recall, and overall efficacy, making PicturePerfect a compelling solution for advanced image classification tasks.

5.4 Computational Efficiency:

Inference Time: PicturePerfect, leveraging the efficiency-enhancing capabilities of SparseNAS, exhibited a 20% reduction in inference time compared to both VGG16 and ResNet50. The streamlined architecture resulting from SparseNAS played a pivotal role in achieving this efficiency.

Model Size: The memory footprint of PicturePerfect was notably smaller than the traditional ensemble, highlighting the impact of SparseNAS in reducing model size. This enhancement in deployability on resource-constrained devices is a direct result of the sparsity-inducing techniques.

5.5 Robustness Across Domains:

PicturePerfect demonstrated robustness across different domains, maintaining high accuracy with 88% on ImageNet and 85% on MedImages. This adaptability to diverse datasets and real-world scenarios is attributed to the diversity-driven resilience introduced by Ensemble Magic.

5.6 Unique Contributions:

The integration of SparseNAS and Ensemble Magic within PicturePerfect proved pivotal. The sparsity-inducing techniques optimized computational efficiency, making it suitable for real-time applications. Meanwhile, ensemble learning contributed to robustness and generalization, setting PicturePerfect apart from traditional approaches.

5.7 Statistical Significance:

Statistical tests underscored the statistical significance of PicturePerfect's performance improvement over baseline models, validating its superiority in image classification tasks. The unique fusion of SparseNAS and Ensemble Magic played a crucial role in achieving this significance.

Table 4: Statistical Significance Comparison

Statistical Test	p-value or Confidence Interval
PicturePerfect vs VGG16	$p < 0.001$
PicturePerfect vs ResNet50	$p < 0.001$
PicturePerfect vs Ensemble	$p < 0.001$

Table 4 summarizes statistical tests assessing the significance of PicturePerfect's performance over baseline models. With p-values consistently below 0.001, the results emphasize the statistical superiority of PicturePerfect. The fusion of SparseNAS and Ensemble Magic plays a crucial role in achieving this significance, contributing to optimized computational efficiency and enhanced precision and recall. These findings reinforce PicturePerfect as a compelling solution for advanced image classification tasks.

5.8 Visualization:

Visual aids, including confusion matrices and ROC curves, were employed to provide an intuitive understanding of PicturePerfect's performance in distinguishing between classes and handling complex patterns within datasets. The influence of both SparseNAS and Ensemble Magic on these visualizations further reinforces their complementary contributions.




Fig 1. Confusion Matrix for PicturePerfect

The confusion matrix in Fig. 1 illustrates the performance of PicturePerfect in classifying instances across multiple classes. Rows indicate actual classes and the columns indicate predicted classes. The diagonal elements indicate correct classifications, while off-diagonal elements reveal misclassifications. The color intensity reflects the frequency of instances in each category, providing a visual understanding of PicturePerfect's ability to distinguish between different classes.




Fig 2. ROC Curve for PicturePerfect

In Fig. 2, the Receiver Operating Characteristic (ROC) curve illustrates the trade-off between the true positive rate and the false positive rate across different threshold values. The Area Under the Curve (AUC) quantifies the model's ability to distinguish between classes. The curve's proximity to the top-left corner signifies better performance. Fig. 2 provides an insightful visualization of PicturePerfect's ability to discriminate between positive and negative instances.

5.9 Discussion of Results:

The experimental results collectively establish PicturePerfect as an innovative and high-performance image classification model. The synergy between SparseNAS and Ensemble Magic not only enhances accuracy, computational efficiency, and robustness but also positions PicturePerfect as a promising model for diverse real-world applications.

6. Conclusion

In summary, the research presented here introduces PicturePerfect, an innovative image classification model that seamlessly integrates SparseNAS and Ensemble Magic. Through extensive experimentation, PicturePerfect consistently outperforms baseline models, showcasing remarkable accuracy, computational efficiency, and robustness. The model's unique synthesis of SparseNAS, emphasizing sparsity-induced efficiency, and Ensemble Magic, enhancing robustness through diversity, positions it as a standout solution in the landscape of image classification.

The experimental results, as highlighted in Table 3 and Table 4, demonstrate PicturePerfect's superiority in accuracy metrics and statistical significance over traditional models. The visual aids, including confusion matrices and ROC curves, offer a comprehensive understanding of the model's proficiency in distinguishing between classes. Beyond performance metrics, PicturePerfect presents a forward-looking approach, paving the way for future advancements in computer vision, where the harmonious fusion of cutting-edge techniques can unlock new possibilities for high-performance image classification systems.

6.1. Acknowledgement

We would like to thank our management for encouraging us to contribute research works.

Conflicts of interest

The authors declare no conflicts of interest.

References

- [1] Y. Weng, T. Zhou, L. Liu, and C. Xia, "Automatic Convolutional Neural Architecture Search for Image Classification Under Different Scenes," in *IEEE Access*, vol. 7, pp. 38495-38506, 2019, doi: 10.1109/ACCESS.2019.2906369.
- [2] C. Peng, Y. Li, L. Jiao, and R. Shang, "Efficient Convolutional Neural Architecture Search for Remote Sensing Image Scene Classification," in *IEEE Transactions on Geoscience and Remote Sensing*, vol. 59, no. 7, pp. 6092-6105, July 2021, doi: 10.1109/TGRS.2020.3020424.
- [3] William H. Beluch, Tim Genewein, Andreas Nürnberger, Jan M. Köhler; *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2018, pp. 9368-9377.
- [4] Neena, A., Geetha, M. (2018). Image Classification Using an Ensemble-Based Deep CNN. In: Sa, P., Bakshi, S., Hatzilygeroudis, I., Sahoo, M. (eds) *Recent Findings in Intelligent Computing Techniques. Advances in Intelligent Systems and Computing*, vol 709. Springer, Singapore. DOI: 10.1007/978-981-10-8633-5_44.
- [5] Sudharson, S., and Priyanka Kokil. "An ensemble of deep neural networks for kidney ultrasound image classification." *Computer Methods and Programs in Biomedicine* 197 (2020): 105709.
- [6] Kannoja, Suresh Prasad, and Gaurav Jaiswal. "Ensemble of hybrid CNN-ELM model for image classification." In: *2018 5th International Conference on Signal Processing and Integrated Networks (SPIN)*, IEEE, 2018.
- [7] Han, Min, and Ben Liu. "Ensemble of extreme learning machine for remote sensing image classification." In: *Neurocomputing* 149 (2015): 65-70.
- [8] Müller, Dominik, Iñaki Soto-Rey, and Frank Kramer. "An analysis on ensemble learning optimized medical image classification with deep convolutional neural networks." In: *IEEE Access* 10 (2022): 66467-66480.